



Laboratory Report

Environmental Health Division

D.F. Kurtycz, M.D., Medical Director - Prof. James J. Schauer, Ph.D., Director

WSLH Sample: 521321001

Report To:
ROGER SEAVER
5606 RIVER RD
WAUNAKEE, WI 53597-9510

Invoice To:
LUKE FELKER
5606 RIVER RD
WAUNAKEE, WI 53597
Customer ID: 11305580

System Name: MADISON COUNTRY DAY SCHOOL
City: WAUNAKEE
Collection Date/Time: 08/21/2020 06:55
Collected By: ROGER SEAVER
County: 13 - Dane
Source Code: D-Distribution System
Collection Address: 5606 RIVER RD
Location of Sample: LOWER SCHOOL LOWER LEVEL

Monitor Point ID: D6
PWS ID#: 11305580
WI Unique Well#:
Entry Point ID:
Date Received: 8/21/2020
Date Reported: 8/26/2020
Sample Type: D-Rout Dist Comp & FU

Metals, Total

Analyte	Analysis Method	Result	Units	LOD	LOQ
Prep Date: 08/24/20 06:30	Analysis Date: 08/25/20 10:41				
Lead	SM3113B	0.923F	ug/L	0.300	1.00
Prep Date: 08/24/20 06:30	Analysis Date: 08/25/20 06:50				
Copper	EPA 200.7	233	ug/L	5.00	15.0



Environmental Health Division

D.F. Kurtycz, M.D., Medical Director - Prof. James J. Schauer, Ph.D., Director

WSLH Sample: 521321001

WDNR LAB ID:113133790 NELAP LAB ID:2091 EPA LAB ID:WI00007, WI00008 WI DATCP ID:105-415

List of Abbreviations:

LOD = Level of detection
LOQ = Level of quantification
ND = None detected. Results are less than the LOD
F next to result = Result is between LOD and LOQ
Z next to result = Result is between 0 (zero) and LOD
if LOD=LOQ, Limits were not statistically derived

Test results for NELAP accredited tests are certified to meet the requirements of the NELAC standards. For a list of accredited analytes

see <http://www.slh.wisc.edu/about/compliance/nelac-laboratory-accreditation>

Results, LOD and LOQ values have been adjusted for analytical dilutions and percent moisture where applicable.

Results relate only to the items tested.

This Laboratory Report shall not be reproduced except in full, without written approval of the laboratory.

The water microbiology unit analyzes samples as received and not all samples are tested for preservation before analysis is performed.

Responsible Party

Inorganic Chemistry: Graham Anderson, Supervisor 608-224-6281

Metals: Graham Anderson, Supervisor 608-224-6281

Organics: Erin Mani, Supervisor 608-224-6269

Environmental Toxicology: Dawn Perkins, Supervisor 608-224-6230

Water Microbiology: Martin Collins, Supervisor 608-224-6239

Radiochemistry: David Webb, Division Director 608-224-6227



Laboratory Report

Environmental Health Division

D.F. Kurtycz, M.D., Medical Director - Prof. James J. Schauer, Ph.D., Director

WSLH Sample: 521321002

Report To:
ROGER SEAVER
5606 RIVER RD
WAUNAKEE, WI 53597-9510

Invoice To:
LUKE FELKER
5606 RIVER RD
WAUNAKEE, WI 53597
Customer ID: 11305580

System Name: MADISON COUNTRY DAY SCHOOL
City: WAUNAKEE
Collection Date/Time: 08/21/2020 06:53
Collected By: ROGER SEAVER
County: 13 - Dane
Source Code: D-Distribution System
Collection Address: 5606 RIVER RD
Location of Sample: PRE-K HALL FOUNTAIN

Monitor Point ID: D7
PWS ID#: 11305580
WI Unique Well#:
Entry Point ID:
Date Received: 8/21/2020
Date Reported: 8/26/2020
Sample Type: D-Rout Dist Comp & FU

Metals, Total

Analyte	Analysis Method	Result	Units	LOD	LOQ
Prep Date: 08/24/20 06:30	Analysis Date: 08/25/20 10:41				
Lead	SM3113B	30.8	ug/L	0.600	2.00
Prep Date: 08/24/20 06:30	Analysis Date: 08/25/20 06:50				
Copper	EPA 200.7	494	ug/L	5.00	15.0



Environmental Health Division

D.F. Kurtycz, M.D., Medical Director - Prof. James J. Schauer, Ph.D., Director

WSLH Sample: 521321002

WDNR LAB ID:113133790 NELAP LAB ID:2091 EPA LAB ID:WI00007, WI00008 WI DATCP ID:105-415

List of Abbreviations:

LOD = Level of detection
LOQ = Level of quantification
ND = None detected. Results are less than the LOD
F next to result = Result is between LOD and LOQ
Z next to result = Result is between 0 (zero) and LOD
if LOD=LOQ, Limits were not statistically derived

Test results for NELAP accredited tests are certified to meet the requirements of the NELAC standards. For a list of accredited analytes

see <http://www.slh.wisc.edu/about/compliance/nelac-laboratory-accreditation>

Results, LOD and LOQ values have been adjusted for analytical dilutions and percent moisture where applicable.

Results relate only to the items tested.

This Laboratory Report shall not be reproduced except in full, without written approval of the laboratory.

The water microbiology unit analyzes samples as received and not all samples are tested for preservation before analysis is performed.

Responsible Party

Inorganic Chemistry: Graham Anderson, Supervisor 608-224-6281

Metals: Graham Anderson, Supervisor 608-224-6281

Organics: Erin Mani, Supervisor 608-224-6269

Environmental Toxicology: Dawn Perkins, Supervisor 608-224-6230

Water Microbiology: Martin Collins, Supervisor 608-224-6239

Radiochemistry: David Webb, Division Director 608-224-6227



Laboratory Report

Environmental Health Division

D.F. Kurtycz, M.D., Medical Director - Prof. James J. Schauer, Ph.D., Director

WSLH Sample: 521321003

Report To:
ROGER SEAVER
5606 RIVER RD
WAUNAKEE, WI 53597-9510

Invoice To:
LUKE FELKER
5606 RIVER RD
WAUNAKEE, WI 53597
Customer ID: 11305580

System Name: MADISON COUNTRY DAY SCHOOL
City: WAUNAKEE
Collection Date/Time: 08/21/2020 07:02
Collected By: ROGER SEAVER
County: 13 - Dane
Source Code: D-Distribution System
Collection Address: 5606 RIVER RD
Location of Sample: BISTRO SINK

Monitor Point ID: D8
PWS ID#: 11305580
WI Unique Well#:
Entry Point ID:
Date Received: 8/21/2020
Date Reported: 8/26/2020
Sample Type: D-Rout Dist Comp & FU

Metals, Total

Analyte	Analysis Method	Result	Units	LOD	LOQ
Prep Date: 08/24/20 06:30	Analysis Date: 08/25/20 10:41				
Lead	SM3113B	5.79	ug/L	0.300	1.00
Prep Date: 08/24/20 06:30	Analysis Date: 08/25/20 06:50				
Copper	EPA 200.7	231	ug/L	5.00	15.0



Environmental Health Division

D.F. Kurtycz, M.D., Medical Director - Prof. James J. Schauer, Ph.D., Director

WSLH Sample: 521321003

WDNR LAB ID:113133790 NELAP LAB ID:2091 EPA LAB ID:WI00007, WI00008 WI DATCP ID:105-415

List of Abbreviations:

LOD = Level of detection
LOQ = Level of quantification
ND = None detected. Results are less than the LOD
F next to result = Result is between LOD and LOQ
Z next to result = Result is between 0 (zero) and LOD
if LOD=LOQ, Limits were not statistically derived

Test results for NELAP accredited tests are certified to meet the requirements of the NELAC standards. For a list of accredited analytes

see <http://www.slh.wisc.edu/about/compliance/nelac-laboratory-accreditation>

Results, LOD and LOQ values have been adjusted for analytical dilutions and percent moisture where applicable.

Results relate only to the items tested.

This Laboratory Report shall not be reproduced except in full, without written approval of the laboratory.

The water microbiology unit analyzes samples as received and not all samples are tested for preservation before analysis is performed.

Responsible Party

Inorganic Chemistry: Graham Anderson, Supervisor 608-224-6281

Metals: Graham Anderson, Supervisor 608-224-6281

Organics: Erin Mani, Supervisor 608-224-6269

Environmental Toxicology: Dawn Perkins, Supervisor 608-224-6230

Water Microbiology: Martin Collins, Supervisor 608-224-6239

Radiochemistry: David Webb, Division Director 608-224-6227



Wisconsin State Laboratory of Hygiene
 2601 Agriculture Drive, PO Box 7996
 Madison, WI 53707-7996
 (800)442-4618 - FAX (608)224-6213
<http://www.slh.wisc.edu>

Laboratory Report

Environmental Health Division

D.F. Kurtycz, M.D., Medical Director - Prof. James J. Schauer, Ph.D., Director

WSLH Sample: 521321004

Report To:
 ROGER SEAVER
 5606 RIVER RD
 WAUNAKEE, WI 53597-9510

Invoice To:
 LUKE FELKER
 5606 RIVER RD
 WAUNAKEE, WI 53597
 Customer ID: 11305580

System Name: MADISON COUNTRY DAY SCHOOL
 City: WAUNAKEE
 Collection Date/Time: 08/21/2020 07:05
 Collected By: ROGER SEAVER
 County: 13 - Dane
 Source Code: D-Distribution System
 Collection Address: 5606 RIVER RD
 Location of Sample: LS MUSIC FOUNTAIN

Monitor Point ID: D9
 PWS ID#: 11305580
 WI Unique Well#:
 Entry Point ID:
 Date Received: 8/21/2020
 Date Reported: 8/26/2020
 Sample Type: D-Rout Dist Comp & FU

Metals, Total

Analyte	Analysis Method	Result	Units	LOD	LOQ
Prep Date: 08/24/20 06:30 Analysis Date: 08/25/20 10:41					
Lead	SM3113B	639	ug/L	15.0	50.0
Prep Date: 08/24/20 06:30 Analysis Date: 08/25/20 06:50					
Copper	EPA 200.7	880	ug/L	5.00	15.0



**Wisconsin State
Laboratory of Hygiene**
UNIVERSITY OF WISCONSIN-MADISON

Wisconsin State Laboratory of Hygiene
2601 Agriculture Drive, PO Box 7996
Madison, WI 53707-7996
(800)442-4618 - FAX (608)224-6213
<http://www.slh.wisc.edu>

Laboratory Report

Environmental Health Division

D.F. Kurtycz, M.D., Medical Director - Prof. James J. Schauer, Ph.D., Director

WSLH Sample: 521321004

WDNR LAB ID:113133790 NELAP LAB ID:2091 EPA LAB ID:WI00007, WI00008 WI DATCP ID:105-415

List of Abbreviations:

LOD = Level of detection
LOQ = Level of quantification
ND = None detected. Results are less than the LOD
F next to result = Result is between LOD and LOQ
Z next to result = Result is between 0 (zero) and LOD
if LOD=LOQ, Limits were not statistically derived

Test results for NELAP accredited tests are certified to meet the requirements of the NELAC standards. For a list of accredited analytes

see <http://www.slh.wisc.edu/about/compliance/nelac-laboratory-accreditation>

Results, LOD and LOQ values have been adjusted for analytical dilutions and percent moisture where applicable.

Results relate only to the items tested.

This Laboratory Report shall not be reproduced except in full, without written approval of the laboratory.

The water microbiology unit analyzes samples as received and not all samples are tested for preservation before analysis is performed.

Responsible Party

Inorganic Chemistry: Graham Anderson, Supervisor 608-224-6281

Metals: Graham Anderson, Supervisor 608-224-6281

Organics: Erin Mani, Supervisor 608-224-6269

Environmental Toxicology: Dawn Perkins, Supervisor 608-224-6230

Water Microbiology: Martin Collins, Supervisor 608-224-6239

Radiochemistry: David Webb, Division Director 608-224-6227



Laboratory Report

Environmental Health Division

D.F. Kurtycz, M.D., Medical Director - Prof. James J. Schauer, Ph.D., Director

WSLH Sample: 521321005

Report To:
ROGER SEAVER
5606 RIVER RD
WAUNAKEE, WI 53597-9510

Invoice To:
LUKE FELKER
5606 RIVER RD
WAUNAKEE, WI 53597
Customer ID: 11305580

System Name: MADISON COUNTRY DAY SCHOOL
City: WAUNAKEE
Collection Date/Time: 08/21/2020 07:07
Collected By: ROGER SEAVER
County: 13 - Dane
Source Code: D-Distribution System
Collection Address: 5606 RIVER RD
Location of Sample: KINDERGARTEN FOUNTAIN

Monitor Point ID: D10
PWS ID#: 11305580
WI Unique Well#:
Entry Point ID:
Date Received: 8/21/2020
Date Reported: 8/26/2020
Sample Type: D-Rout Dist Comp & FU

Metals, Total

Analyte	Analysis Method	Result	Units	LOD	LOQ
Prep Date: 08/24/20 06:30	Analysis Date: 08/25/20 10:41				
Lead	SM3113B	ND	ug/L	0.300	1.00
Prep Date: 08/24/20 06:30	Analysis Date: 08/25/20 06:50				
Copper	EPA 200.7	120	ug/L	5.00	15.0



Environmental Health Division

D.F. Kurtycz, M.D., Medical Director - Prof. James J. Schauer, Ph.D., Director

WSLH Sample: 521321005

WDNR LAB ID:113133790 NELAP LAB ID:2091 EPA LAB ID:WI00007, WI00008 WI DATCP ID:105-415

List of Abbreviations:

LOD = Level of detection
LOQ = Level of quantification
ND = None detected. Results are less than the LOD
F next to result = Result is between LOD and LOQ
Z next to result = Result is between 0 (zero) and LOD
if LOD=LOQ, Limits were not statistically derived

Test results for NELAP accredited tests are certified to meet the requirements of the NELAC standards. For a list of accredited analytes

see <http://www.slh.wisc.edu/about/compliance/nelac-laboratory-accreditation>

Results, LOD and LOQ values have been adjusted for analytical dilutions and percent moisture where applicable.

Results relate only to the items tested.

This Laboratory Report shall not be reproduced except in full, without written approval of the laboratory.

The water microbiology unit analyzes samples as received and not all samples are tested for preservation before analysis is performed.

Responsible Party

Inorganic Chemistry: Graham Anderson, Supervisor 608-224-6281

Metals: Graham Anderson, Supervisor 608-224-6281

Organics: Erin Mani, Supervisor 608-224-6269

Environmental Toxicology: Dawn Perkins, Supervisor 608-224-6230

Water Microbiology: Martin Collins, Supervisor 608-224-6239

Radiochemistry: David Webb, Division Director 608-224-6227